



## Weissenbacher-Zweymüller syndrome

Weissenbacher-Zweymüller syndrome is a condition that affects bone growth. It is characterized by skeletal abnormalities, hearing loss, and distinctive facial features. The features of this condition significantly overlap those of two similar conditions, otospondylomegaepiphyseal dysplasia (OSMED) and Stickler syndrome type III. All of these conditions are caused by mutations in the same gene, and in some cases, it can be difficult to tell them apart. Some researchers believe they represent a single disorder with a range of signs and symptoms.

Infants born with Weissenbacher-Zweymüller syndrome are smaller than average because the bones in their arms and legs are unusually short. The thigh and upper arm bones are wider than usual at the ends (described as dumbbell-shaped), and the bones of the spine (vertebrae) may also be abnormally shaped. High-frequency hearing loss occurs in some cases. Distinctive facial features include wide-set protruding eyes, a small and upturned nose with a flat bridge, and a small lower jaw. Some affected infants are born with an opening in the roof of the mouth (a cleft palate).

Most people with Weissenbacher-Zweymüller syndrome experience significant "catch-up" growth in the bones of the arms and legs during childhood. As a result, adults with this condition are not unusually short. However, affected adults still have other signs and symptoms of Weissenbacher-Zweymüller syndrome, including distinctive facial features and hearing loss.

### Frequency

Weissenbacher-Zweymüller syndrome is very rare; only a few affected families worldwide have been described in the medical literature.

### Genetic Changes

Weissenbacher-Zweymüller syndrome is caused by mutations in the *COL11A2* gene. This gene provides instructions for making one component of type XI collagen, which is a complex molecule that gives structure and strength to the connective tissues that support the body's joints and organs. Type XI collagen is found in cartilage, a tough but flexible tissue that makes up much of the skeleton during early development. Most cartilage is later converted to bone, except for the cartilage that continues to cover and protect the ends of bones and is present in the nose and external ears. Type XI collagen is also part of the inner ear and the nucleus pulposus, which is the center portion of the discs between vertebrae.

At least one mutation in the *COL11A2* gene can cause Weissenbacher-Zweymüller syndrome. This mutation disrupts the assembly of type XI collagen molecules. The

defective collagen weakens connective tissues in many parts of the body, including the long bones, spine, and inner ears, which impairs bone development and underlies the other signs and symptoms of this condition. It is not well understood why "catch-up" bone growth occurs in childhood.

### **Inheritance Pattern**

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

Most cases of this condition result from a new (de novo) mutation in the gene that occurs during the formation of reproductive cells (eggs or sperm) or in early embryonic development. These cases occur in people with no history of the disorder in their family.

### **Other Names for This Condition**

- heterozygous OSMED
- heterozygous otospondylomegaepiphyseal dysplasia
- Pierre Robin syndrome with fetal chondrodysplasia
- WZS

### **Diagnosis & Management**

#### Genetic Testing

- Genetic Testing Registry: Weissenbacher-Zweymuller syndrome  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1848488/>

#### General Information from MedlinePlus

- Diagnostic Tests  
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy  
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling  
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care  
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation  
<https://medlineplus.gov/surgeryandrehabilitation.html>

## **Additional Information & Resources**

### MedlinePlus

- Health Topic: Bone Diseases  
<https://medlineplus.gov/bonediseases.html>
- Health Topic: Connective Tissue Disorders  
<https://medlineplus.gov/connectivetissuedisorders.html>
- Health Topic: Hearing Disorders and Deafness  
<https://medlineplus.gov/hearingdisordersanddeafness.html>

### Genetic and Rare Diseases Information Center

- Weissenbacher-Zweymuller syndrome  
<https://rarediseases.info.nih.gov/diseases/4351/weissenbacher-zweymuller-syndrome>

### Additional NIH Resources

- National Institute of Arthritis and Musculoskeletal and Skin Diseases: Questions and Answers about Heritable Disorders of Connective Tissue  
[https://www.niams.nih.gov/Health\\_Info/Connective\\_Tissue/](https://www.niams.nih.gov/Health_Info/Connective_Tissue/)

### Educational Resources

- Disease InfoSearch: Weissenbacher-Zweymuller syndrome  
<http://www.diseaseinfosearch.org/Weissenbacher-Zweymuller+syndrome/7463>
- MalaCards: weissenbacher-zweymuller syndrome  
[http://www.malacards.org/card/weissenbacher\\_zweymuller\\_syndrome](http://www.malacards.org/card/weissenbacher_zweymuller_syndrome)
- Nemours Children's Health System: Skeletal Dysplasia  
<https://www.nemours.org/service/medical/skeletal-dysplasia.html?tab=about>
- Orphanet: Weissenbacher- Zweymuller syndrome  
[http://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=3450](http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=3450)

### Patient Support and Advocacy Resources

- Cleft Palate Foundation  
<http://www.cleftline.org/>
- Human Growth Foundation  
<http://hgfound.org/>
- International Skeletal Dysplasia Registry, UCLA  
<http://ortho.ucla.edu/isdr>
- My Baby's Hearing, Boys Town National Research Hospital  
<https://www.babyhearing.org/>

- National Organization for Rare Disorders (NORD)  
<https://rarediseases.org/rare-diseases/osmed-heterozygous/>
- Resource List from the University of Kansas Medical Center  
<http://www.kumc.edu/gec/support/connect.html>

#### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28weissenbacher-zweymuller+syndrome%5BTIAB%5D%29+OR+%28heterozygous+otospondylomegaepiphyseal+dysplasia%5BTIAB%5D%29+OR+%28pierre+robin+syndrome+with+fetal+chondrodysplasia%5BTIAB%5D%29+OR+%28heterozygous+osmed%5BTIAB%5D%29+OR+%28weissenbacher+zweymuller+syndrome%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

#### OMIM

- WEISSENBACHER-ZWEYMULLER SYNDROME  
<http://omim.org/entry/277610>

#### **Sources for This Summary**

- Chemke J, Carmi R, Galil A, Bar-Ziv Y, Ben-Ytzhak I, Zurkowski L. Weissenbacher-Zweymüller syndrome: a distinct autosomal recessive skeletal dysplasia. *Am J Med Genet.* 1992 Aug 1;43(6):989-95. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/1415350>
- Galil A, Carmi R, Goldstein E, Porter B, Bar Ziv J, Chemke J. Weissenbacher-Zweymuller syndrome: long-term follow-up of growth and psychomotor development. *Dev Med Child Neurol.* 1991 Dec;33(12):1104-9.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/1723388>
- Harel T, Rabinowitz R, Hendler N, Galil A, Flusser H, Chemke J, Gradstein L, Lifshitz T, Ofir R, Elbedour K, Birk OS. COL11A2 mutation associated with autosomal recessive Weissenbacher-Zweymuller syndrome: molecular and clinical overlap with otospondylomegaepiphyseal dysplasia (OSMED). *Am J Med Genet A.* 2005 Jan 1;132A(1):33-5.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/15558753>
- Pihlajamaa T, Prockop DJ, Faber J, Winterpacht A, Zabel B, Giedion A, Wiesbauer P, Spranger J, Ala-Kokko L. Heterozygous glycine substitution in the COL11A2 gene in the original patient with the Weissenbacher-Zweymüller syndrome demonstrates its identity with heterozygous OSMED (nonocular Stickler syndrome). *Am J Med Genet.* 1998 Nov 2;80(2):115-20.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/9805126>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/weissenbacher-zweymuller-syndrome>

Reviewed: May 2016

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services